

Message

---

**From:** Victor, Meg [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=81F14AAC8CEB4EF7B1CC565354D58AC3-MVICTOR]  
**Sent:** 1/31/2019 9:25:54 PM  
**To:** Matthew Terwillegar [mterwillegar@gcinnovationamerica.com]  
**Subject:** RE: SDS update to P-18-0020

Good afternoon, Matt,

I should mention that the determination document would be signed after the updated SDS is submitted via CDX. So, please give me a heads-up when it's been submitted.

Many thanks,  
Meg  
(202) 343-9193

---

**From:** Matthew Terwillegar <mterwillegar@gcinnovationamerica.com>  
**Sent:** Tuesday, January 29, 2019 8:08 PM  
**To:** Victor, Meg <Victor.Meg@epa.gov>  
**Subject:** Re: SDS update to P-18-0020

Sure, I'm wide open tomorrow

Sent from my iPad

On Jan 29, 2019, at 7:06 PM, Victor, Meg <[Victor.Meg@epa.gov](mailto:Victor.Meg@epa.gov)> wrote:

Greetings, Matt,

EPA is open again. Kendra has left EPA for an opportunity elsewhere. She forwarded me your email asking if we need a copy of the updated SDS. We will need the updated SDS submitted via CDX as an amendment to the PMN. I need to confirm some information first, though, so please don't submit it just yet. Can I call you tomorrow about it?

Thanks,  
Meg

Meg Victor  
New Chemicals Management Branch  
EPA/OCSPP/OPPT/CCD  
(202) 343-9193

---

**From:** Moran, Kendra  
**Sent:** Tuesday, January 29, 2019 7:32 AM  
**To:** Victor, Meg <[Victor.Meg@epa.gov](mailto:Victor.Meg@epa.gov)>  
**Subject:** FW: SDS update to P-18-0020

Kendra Moran, U.S EPA  
Office of Chemical Safety and Pollution Prevention  
1200 Pennsylvania Ave., N.W.  
WJC East, Room 6334V

Washington, DC 20460  
Email: [moran.kendra@epa.gov](mailto:moran.kendra@epa.gov)  
Phone: 202-564-4322

---

**From:** Matthew Terwillegar <[mterwillegar@gcinnovationamerica.com](mailto:mterwillegar@gcinnovationamerica.com)>  
**Sent:** Wednesday, January 02, 2019 6:44 PM  
**To:** Moran, Kendra <[Moran.Kendra@epa.gov](mailto:Moran.Kendra@epa.gov)>  
**Subject:** RE: SDS update to P-18-0020

Do you need a copy of the updated SDS for the records?

---

**From:** Moran, Kendra <[Moran.Kendra@epa.gov](mailto:Moran.Kendra@epa.gov)>  
**Sent:** Friday, December 28, 2018 8:22 AM  
**To:** Matthew Terwillegar <[mterwillegar@gcinnovationamerica.com](mailto:mterwillegar@gcinnovationamerica.com)>  
**Cc:** Victor, Meg <[Victor.Meg@epa.gov](mailto:Victor.Meg@epa.gov)>  
**Subject:** RE: SDS update to P-18-0020

Perfect! The not likely determination is with the office director right now, but they have been out for the holiday week. While EPA had sufficient funds to get through this week, if a resolution to the budget has not been reached by tonight we will be shut down. Hopefully this will not last too long if it happens. Meg is supposed to be back next week and will resume managing this case.

Best regards,  
Kendra

Kendra Moran, U.S EPA  
Office of Chemical Safety and Pollution Prevention  
1200 Pennsylvania Ave., N.W.  
WJC East, Room 6334V  
Washington, DC 20460  
Email: [moran.kendra@epa.gov](mailto:moran.kendra@epa.gov)  
Phone: 202-564-4322

---

**From:** Matthew Terwillegar <[mterwillegar@gcinnovationamerica.com](mailto:mterwillegar@gcinnovationamerica.com)>  
**Sent:** Friday, December 28, 2018 8:17 AM  
**To:** Moran, Kendra <[Moran.Kendra@epa.gov](mailto:Moran.Kendra@epa.gov)>  
**Cc:** Victor, Meg <[Victor.Meg@epa.gov](mailto:Victor.Meg@epa.gov)>  
**Subject:** RE: SDS update to P-18-0020

This is complete

---

**From:** Moran, Kendra <[Moran.Kendra@epa.gov](mailto:Moran.Kendra@epa.gov)>  
**Sent:** Friday, December 21, 2018 7:10 AM  
**To:** Matthew Terwillegar <[mterwillegar@gcinnovationamerica.com](mailto:mterwillegar@gcinnovationamerica.com)>  
**Cc:** Victor, Meg <[Victor.Meg@epa.gov](mailto:Victor.Meg@epa.gov)>  
**Subject:** SDS update to P-18-0020

Good morning Matt,

I am helping Meg out with P-18-0020 and am in the process of trying to push through the not likely determination for the case. One aspect of these not likely determinations is that recommended PPE

needs to be reflected in the SDS. So, in your SDS you indicate 'chemically resistant gloves' and we need it to read 'impervious gloves' instead. Let me know if this is feasible?

Happy holidays.

Kendra

Kendra Moran, U.S EPA  
Office of Chemical Safety and Pollution Prevention  
1200 Pennsylvania Ave., N.W.  
WJC East, Room 6334V  
Washington, DC 20460  
Email: [moran.kendra@epa.gov](mailto:moran.kendra@epa.gov)  
Phone: 202-564-4322